



BANDIT

INDUSTRIAL EQUIPMENT



WHOLE TREE CHIPPERS

HORIZONTAL GRINDERS

SLOW-SPEED SHREDDERS

Since 1983, Bandit has provided equipment for a multitude of wood waste processing markets. Our vision since the beginning is to build quality, highly productive, easy-to-maintain equipment providing years of dependable service. The commitment to quality, innovation, and dedication is instilled in every Bandit employee and is one of the main reasons why Bandit became an Employee-Owned Company (ESOP) in 2018. These core values ensure each Bandit machine will leave the factory ready to exceed your expectations.


With the most diverse product line in the industry, we are certain to have a machine that meets your needs. Bandit specializes in building equipment for the biomass, land clearing, recycling, and waste reduction markets. Outlined in this brochure is a brief overview of the equipment offered. For detailed information, we have product line-specific brochures or contact your local Bandit dealer or visit www.banditchippers.com

Join the Bandit family. Call your authorized Bandit dealer today!

TOP NOTCH SERVICE AND SUPPORT:

When purchasing a Bandit product, be assured that you will receive top notch aftermarket support. We strive to ensure each machine is up and running on a consistent basis with highly trained parts and service personnel both at Bandit and throughout our dealer network. So, whether you are supported by the Bandit factory or a dedicated Bandit dealer you can always have the peace of mind that your Bandit machine will provide years of dependable service.

WORLDWIDE INDUSTRIAL DEALERS



**Locate your local Bandit
authorized dealer**



BANDIT

WHOLE TREE CHIPPERS

Bandit Yellow



Green



Standard & Custom Paint Colors Available

- Choose from two standard colors at no additional charge. A full spectrum of custom colors are available to match your chipper to the rest of your fleet.



Model 2290 Track



Trelan 786-WRC



Model 20XP Track



Model 2590 (with loader)



Model 3590XL (with loader)

WHY BUY A BANDIT WHOLE TREE CHIPPER?


- Chip whole trees more effectively.
- Produce a uniform chip with minimal fines or overs.
- Lower your annual fuel cost expense.
- Chip material with less downtime.
- Pack chip vans, lowering transportation costs.
- Last longer and will bring top dollar for resale.



Model 3090

LOOKING FOR A SPECIFIC CHIP SIZE?


All Bandit whole tree drum-style chippers feature replaceable holders allowing customers to choose a dedicated chip size ranging from 1/4" to 7/8".



MICRO CHIPPER DRUM:

Bandit's micro drum is offered on most drum style chippers and features double the amount of knives and will produce double the amount of cuts per revolution. This set-up produces a uniform 1/4" chip with minimal fines and overs which is optimal for producing pellets. A mico drum can also be converted to a standard chipper drum by blocking off half of the pockets to make a larger chip.

1/4" TO 3/8" CHIP SIZE



STANDARD CHIPPER DRUM:

The standard drum in Bandit's whole tree chippers comes with knives ranging from 4 to 8 knives (depending on size of drum). Various size holders are available depending on the desired chip size needed.

5/8" TO 7/8" CHIP SIZE



BANDIT


HORIZONTAL GRINDERS

Bandit introduced its first horizontal grinder, the Model 3680 known as the “Beast” in 1995. Since then, a variety of Beast models were engineered and manufactured featuring a unique cuttermill for processing a variety of material. Further expanding the horizontal grinder line, in 2024 Bandit introduced its first hammermill grinder, further enhancing Bandit’s already expansive line of horizontal grinders.




CUT IT (*BEAST MODELS ONLY*)

- Cutterbodies regulate cut creating a smooth efficient cutting action
- Welded support arms attach each cutterbody utilizing two bolts
- Cutter teeth are bolted to each cutterbody – variety of teeth available accommodating various grinding applications
- Replaceable raker is bolted to the cutterbody reducing wear while assisting with regulating the cutting action




CHIP IT (*AVAILABLE ON SELECT BEAST MODELS*)

- Produce a dimensional chip ranging from 1/4” to 2” (clean logs only)
- Cutterbodies can be equipped with knives – produces an approximate 1/4” chip
- Dedicated 4 or 8 knife chipper drum – produces an dimensional chip ranging from 5/8” to 2”



HAMMER IT (*MODEL HM6420*)

- Mill skin is 1.75” mild steel with custom formed rolled plate
- Pockets are machined from high strength / high yield A-514 steel
- Durable carbide impregnated hammer inserts designed for the most extreme grinding applications
- Impact Detection System - designed to limit damage if a contaminant is struck inside the grinding chamber. Once an impact event is detected, the grinder will idle down, open the gate, disengage the clutch, and reverse the feed



WHY BUY A BANDIT HORIZONTAL GRINDER

- Large diameter mills turn at a lower RPM creating a tremendous amount of torque for optimal grinding
- Grinds material utilizing less horsepower and fuel
- Vibration is minimized decreasing the stress on the machine, increasing component life
- Each grinder is designed to be easy to work on and maintain
- Constructed utilizing the highest of quality components
- Like all Bandit products, each grinder features an array of features and options that accommodate a variety of applications

WHOLE TREE CHIPPER

MACHINE SPECIFICATIONS

| MODEL 20XP | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | DRUM / DISC (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
|--------------|-----------|------------------------------|-----------------|----------------------------|---------------------|-------------|-------------|
| TRAILER UNIT | 22" | 26 1/4" x 24 1/2" | 275 - 350 HP | 37" x 24" - Drum | TANDEM AXLES | 60 GALLONS | 30 GALLONS |
| TRACK UNIT | 22" | 26 1/4" x 24 1/2" | 275 - 350 HP | 37" x 24" - Drum | CATERPILLAR 312B | 50 GALLONS | 50 GALLONS |
| MODEL 2090 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | DRUM / DISC (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 22" | 26 1/4" x 24 1/2" | 275 - 350 HP | 37" x 24" - Drum | TANDEM AXLES | 60 GALLONS | 60 GALLONS |
| MODEL 2290 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | DRUM / DISC (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRACK UNIT | 22" | 26 1/4" x 24 1/2" | 350 - 525 HP | 37" x 24" - Drum | CATERPILLAR 315L | 100 GALLONS | 94 GALLONS |
| MODEL 2590 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | DRUM / DISC (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 23" | 26 1/4" x 30" | 755 - 800 HP | 37" x 30" - Drum | TANDEM AXLES | 130 GALLONS | 85 GALLONS |
| TRACK UNIT | 23" | 26 1/4" x 30" | 755 - 800 HP | 37" x 30" - Drum | CATERPILLAR 320L | 200 GALLONS | 100 GALLONS |
| MODEL 3090 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | DRUM / DISC (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 25" | 26" x 36" | 755 - 800 HP | 37" x 36" - Drum | TANDEM AXLES | 200 GALLONS | 100 GALLONS |
| TRACK UNIT | 23" | 26" x 36" | 755 - 800 HP | 37" x 36" - Drum | CATERPILLAR 320L | 200 GALLONS | 100 GALLONS |
| MODEL 3590 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | DRUM / DISC (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 30" | 30" x 48" | 755 - 1,050 HP | 37" x 48" - Drum | TANDEM OR TRI AXLES | 350 GALLONS | 100 GALLONS |
| TRACK UNIT | 30" | 30" x 48" | 755 - 1,050 HP | 37" x 48" - Drum | CATERPILLAR 325EL | 400 GALLONS | 100 GALLONS |
| MODEL 3590XL | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | DRUM / DISC (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 36" | 36" x 48" | 875 - 1,200 HP | 48" x 48" - Drum | TRI AXLES | 350 GALLONS | 100 GALLONS |
| 686-WRC | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | DRUM / DISC (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 23" | 36 3/8" x 34 1/4" | 800 or 875 HP | 68" x 5 3/4" - Disc | TANDEM AXLES | 200 GALLONS | 140 GALLONS |
| 786-WRC | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | DRUM / DISC (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 26" | 38 3/8" x 41 1/2" | 875 or 1,050 HP | 78" x 5 3/4" - Disc | TANDEM AXLES | 200 GALLONS | 140 GALLONS |

HORIZONTAL GRINDER

MACHINE SPECIFICATIONS

| MODEL 1425 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | MILL (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
|--------------|-----------|------------------------------|-------------------|---------------------|-------------------|-------------|-------------|
| TRAILER UNIT | 14" | 20" x 25" | 120 or 134 HP | 36" x 25" | TANDEM AXLES | 40 GALLONS | 40 GALLONS |
| TRACK UNIT | 14" | 20" x 25" | 174 HP | 36" x 25" | CATERPILLAR 308 | 40 GALLONS | 40 GALLONS |
| MODEL 1680 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | MILL (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 18" | 18" x 52" | 321 -326 HP | 36" x 52" | TANDEM AXLES | 100 GALLONS | 80 GALLONS |
| TRACK UNIT | 18" | 18" x 52" | 321 -326 HP | 36" x 52" | CATERPILLAR 312B | 100 GALLONS | 80 GALLONS |
| MODEL 2460 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | MILL (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 24" | 24" x 60" | 525 or 536 HP | 36" x 60" | TANDEM AXLES | 200 GALLONS | 120 GALLONS |
| TRACK UNIT | 24" | 24" x 60" | 536 HP | 36" x 60" | CATERPILLAR 320L | 200 GALLONS | 120 GALLONS |
| MODEL 2680 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | MILL (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRACK UNIT | 35" | 35" x 60" | 755 HP | 42" x 63" | CATERPILLAR 320L | 290 GALLONS | 150 GALLONS |
| MODEL 3680 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | MILL (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 35" | 35" x 60" | 755 HP | 42" x 63" | TRI AXLES | 400 GALLONS | 150 GALLONS |
| TRACK UNIT | 35" | 35" x 60" | 875 or 1,050 HP | 42" x 63" | CATERPILLAR 325EL | 300 GALLONS | 150 GALLONS |
| MODEL 4680 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | MILL (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRAILER UNIT | 45" | 45" x 60" | 1,050 or 1,200 HP | 59 1/2" x 63" | FOUR AXLES | 375 GALLONS | 200 GALLONS |
| TRACK UNIT | 45" | 45" x 60" | 1,050 or 1,200 HP | 59 1/2" x 63" | CATERPILLAR 325EL | 400 GALLONS | 200 GALLONS |
| MODEL HM6420 | CAPACITY: | OPENING: (HEIGHT x WIDTH) | ENGINE | MILL (DIA. X WIDTH) | UNDERCARRIAGE: | FUEL TANK: | HYD. TANK: |
| TRACK UNIT | 40" | 40" x 64" | 1,200 HP | 50" x 66" | CATERPILLAR 325EL | 500 GALLONS | 120 GALLONS |



ARJES

SLOW-SPEED SHREDDER

Arjes slow-speed shredders are versatile machines capable of reducing a variety of waste. With the ability to process waste wood, C & D, concrete, light metal, cars and numerous other types of waste. The line of Arjes slow-speed shredders are preferred by a variety of construction contractors.

KEY FEATURES

- **2-Stage Crushing Process**
2-stage crushing process with special shaft geometry and breaker bars leads to greater productivity and throughput.
- **Slide Combs**
Manual or hydraulic side combs regulate final end product size.
- **Shaft Options**
Two shaft options available for cars / metal /concrete and wood waste / tires.
- **Quick Change Shafts**
Quick change shaft system allows for quick removal of the shafts for easier maintenance, replacement, or refurbishment.



ARJES 250

- Volvo 200 horsepower engine
- Over-band belt magnet
- Standard remote control
- Weighs around 15 tons and can easily be transported
- Best suited for concrete, C & D, and wood waste



ARJES TITAN 900

- Volvo 700 horsepower engine
- Over-band belt magnet
- Standard remote control
- Best suited for concrete, C & D, tires, and wood waste



ARJES TITAN 950

- Volvo 700 horsepower engine
- Over-band belt magnet
- Standard remote control
- Best suited for light metal and cars



Bandit Yellow Green

Standard & Custom Paint Colors Available

– Choose from two standard colors at no additional charge. A full spectrum of custom colors are available to match your chipper to the rest of your fleet.

MISSION

As a team of employee-owners, we will provide quality, reliable, and productive equipment leading to high customer satisfaction and prosperity.

VISION

Through continued product innovation with a commitment to provide unmatched support through a global dealer network, we will be the preferred equipment solution for those specializing in tree care and waste reduction applications around the world.

CORE VALUES

INTEGRITY:

We will hold ourselves to the highest integrity and ethical behavior following through on our promises and strengthening our reputation through trust.

OWNERSHIP:

Each employee-owner will take initiative to bring positive results, striving to do better and anticipating problems before they occur.

QUALITY:

Quality is an attitude with an unwavering commitment to manufacture and support each product to the highest quality standards, ensuring each machine will exceed customer expectations.

TEAMWORK:

We will work as a team to achieve common objectives. With consistent collaboration, we will achieve the highest level of results. Through mutual respect, we will welcome diverse skills and perspectives to enhance our ability to be an industry leader and innovator.

6750 MILLBROOK ROAD • REMUS, MICHIGAN 49340

WWW.BANDITCHIPPERS.COM • SALES@BANDITCHIPPERS.COM

P: 1-800-952-0178 • F: 1-989-561-2273



WWW.YOUTUBE.COM/BANDITCHIPPERS • WWW.TWITTER.COM/BANDITCHIPPERS • WWW.FACEBOOK.COM/BANDITINDUSTRIES

All specifications, dimensions, standards and options are subject to change without notice. Dimensions and weights may vary, depending on options and engines selected. Bandit Industries, Inc. reserves the right to change designs, specifications and options without prior notice.

All figures shown in technical data were current at the time of printing. However, these can change as a result of further product development and regional distribution differences. Please contact your authorized Bandit dealer or Bandit Industries, Inc. for more information.

Made in the USA. Printed in the USA. © 2025 Bandit Industries, Inc. All Rights Reserved.